

Child Passenger Safety

A Parent's Primer

Growing Up Safe: It's a four-step process.

Rear-Facing Seats

• For the best possible protection, keep infants in the back seat in rear-facing child safety seats as long as possible up to the height or weight limit of the particular seat. Keep infants rear-facing until a minimum age of 1 and at least 20 pounds.

Forward-Facing Seats

• When children outgrow their rear-facing seats (at a minimum age 1 and at least 20 pounds), they should ride in forward-facing child safety seats in the back seat until they reach the upper weight or height limit of the particular seat.

Booster Seats

• Once children outgrow their forward-facing seats, they should ride in booster seats in the back seat until the vehicle seat belts fit properly. Seat belts fit properly when the lap belt lays across the upper thighs and the shoulder belt fits across the chest (usually at age 8 or when they are 4'9" tall).

Seat Belts

• When children outgrow their booster seats (usually at age 8 or when they are 4'9" tall), they can use the adult seat belt in the back seat if it fits properly (lap belt lays across the upper thighs and the shoulder belt fits across the chest).

A certified child passenger safety technician can check your car seat installations and answer questions. To find a technician or an inspection station near you, contact your local public health unit or call the North Dakota Department of Health at 800.472.2286.



REMEMBER: All children younger than 13 should ride in the back seat.

Always read the child restraint instructions and the vehicle owner's manual.



NORTH DAKOTA'S CHILD PASSENGER SAFETY LAW

- Children younger than 7 are required to ride in a child restraint (car seat or booster seat). The restraint must be used correctly following the manufacturer's instructions.
- A seat belt may be substituted for children younger than 7 who weigh more than 80 pounds and are more than 57 (4'9") inches tall.
- A lap belt may be used by children who weigh more than 40 pounds who ride in vehicles with lap-only seat belts or if all lap and shoulder belts are used by other occupants. (This is because booster seats require both a lap and shoulder belt for correct use.)
- Children ages 7 through 17 must be properly secured in a seat belt or child restraint (car seat or booster seat).
- The law applies to all seating positions front seat and back.
- The driver is responsible for ensuring that all occupants younger than 18 are buckled up in the appropriate restraint.
- The penalty for violation is \$25 and one point against the license of the driver.

Effective: August 1, 2005





Promise to buckle up in the back seat and to remind dn time I ride in a car buckle others

Child's Signature:

child to buckle up "I Promise to remind my OWN back wear my correctly in the

Parent's Signature:

WORD SEARCH



Buckle up Back seat Survive Crash Air bags Seat belt Live Law Safe Die **Passenger Driver Protection Speed Traffic Police Ticket Booster Injury**



V C A R S E N H D C Z GSTVKRENSFNUE POASRTTLEBTAE ZRERSUTBNDQIPGA XAOOCISKGORBS TXOTCGUAEKPIXRR ZBVKEYQARDOZVXI GPEMLCBUCX LEEEA KTOQXATDWLINZXR YRU JNIWIXMCJHEH ZJEOKEXVCG FARTNFICXB BUCKLEUPZYLRXHI

EQHPJVYBPCTHCOY

LLLAIADWXWAW

CROSSWORD PUZZLE




Down

- 1. Seat belts should fit
- **4.** Safest place to sit in the car
- 6. Seat belts offer
- 7. Buckle up for
- 10. Friends tell friends to
- **12.** Who should buckle up
- 13. Most crashes happen close to
- **14.** The shoulder belt should fit across your
- **16.** Seat belts save
- **18.** Okay age for sitting in the front seat
- 19. Airbags deploy faster than one
- 22. The lap belt should fit low on your

Across

- 2. Seat belts prevent
- **3.** Explodes when a 25 mph crash happens
- 5. Seat belts keep you from being
- 8. Kids less than 4 foot 9 inches tall should use a
- **9.** You need to wear a seat belt, it's the
- **11.** Will save your life
- **15.** Most common type of crash
- 17. Make buckling up a
- 20. When to buckle up
- 21. Seat belts can prevent



12. everyone 13. home 14. chest 15. frontal 16. lives 17. habit 18. twelve 19. second 20. everytime 21. death 22. hips 1. snug 2. injury 3. airbag 4. backseat 5. ejected 6. protection 7. satety 8. booster 9. law 10. buckleup 11. seatbelt

CRACK THE CODE



Decode the Message Below.

PVNLWEZMBRSJYGCFDKUQT A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Example: MWJJC = M is H, W is E, J is L and C is O: Hello

Code Word Decoded Word

- 1. FKWHWGQ
- 2. BGRTKBWU
- 3. PGL
- 4. LWPQM
- 5. VTNSJW
- 6. TF
- 7. ECK
- 8. JBEW



Code Word Decoded Word



4. BU 5. UPEWK 6. QMPG 7. QMW

1. QMW 2. VPNS 3. UWPQ

8. EKCGQ

9. UWPQ

Using the decoded words (in order from top to bottom), spell out the secret sentences.

MORSE CODE MESSAGE

Solve the messages below by placing the letter above each code, then put the letters together to spell a secret message (but the message is really not a secret!).

Δ	R	C	\Box	F	F	G	Н		K	\mathbb{N}	

Secret Message:

Children 12 and younger should ride in the back seat — even if your vehicle does not have air bags. Most crashes are frontal crashes and happen close to home.